


Technical Data Sheet

Anti-Canine IgM (heavy chain specific)

FITC Conjugate Affinity Purified

Catalog No.:	CJ-F-CANM-AP-1ML or 10ML	
Shelf Life:	4 years from date of qualification	
Volume:	1 or 10 ml	
Preservative:	0.09% Sodium Azide	
Species of Origin:	Caprine	



Description:

Canine IgM polyclonal antiserum conjugated to fluorescein isothiocyanate (FITC). Heavy chain specific. Affinity purified. Ready to use. Liquid.

Intended Use:

Immunoglobulin conjugate on canine systems.

Storage:

This conjugate is provided in liquid form and should be stored at 2-7°C. DO NOT FREEZE! It should also be stored in the original container and/or in the dark (even after dilution). If conjugate becomes cloudy it should be discarded.

References:

NA

Technical Data Sheet Version:

Version 1

Recommended Staining Procedure for Indirect FA:

- 1. Warm slide to room temperature before removing from foil pouch.
- 2. Place diluted serum on the designated wells. Dilute serum in serum diluting buffer, pH 7.2 (catalog no. FASDB-100ML) however if high background due to anti-bovine IgG activity is present it may be advisable to use SSDB-100ML.
- 3. Incubate slide in humid chamber at 37°C for 30 minutes.
- 4. Using a wash bottle, gently rinse slide briefly in FA rinse buffer, pH 9.0 (catalog no. FARB-4X) and then soak for 10 minutes in FA rinse buffer, pH 9.0.
- 5. Drain slide and dry around wells by pressing blotter (included in pouch) to front surface. Place labeled anti-IgG or IgM on the wells.
- 6. Incubate as in step 3.
- 7. Rinse as in step 4.
- 8. Drain slide and dry back and edges with a paper towel. Do not allow stained surface to dry. Do not rinse with water.
- 9. Mount with mounting fluid [glycerol/FA rinse buffer, pH 9.0, (50/50)] (catalog no. FAMF-10ML) and view with good quality fluorescence microscope at 100X-250X. Confirmation may be made at 400X.

Note: Microscopic precipitates may appear in this product and it is recommended that a short high speed centrifugation (approximately 10,000xg for 3 min) be performed to clarify it.

Recommended Staining Procedure for Direct FA:

- 1. Warm slide to room temperature before removing from foil pouch.
- 2. Place of direct FA conjugate on the designated wells.
- 3. Incubate slide in humid chamber at 37°C for 30 minutes.
- 4. Using a wash bottle, gently rinse slide briefly in FA rinse buffer, pH 9.0 (catalog no. FARB-4X) and then soak for 10 minutes in FA rinse buffer, pH 9.0.
- 5. Drain slide and dry back and edges with a paper towel. Do not allow stained surface to dry. Do not rinse with water.
- 6. Mount with mounting fluid [glycerol/FA rinse buffer, pH 9.0, (50/50)] (catalog no. FAMF-10ML) and view with good quality fluorescence microscope at 100X-250X. Confirmation may be at 400X.

Serum Diluting Buffer (pH 7.2):*

-	Na ₂ HPO ₄ 1.19 gm
-	NaH ₂ PO ₄ 0.22 gm
-	NaCl8.55 gm
-	BSA10.0 gm
-	DI/dH ₂ OQ.S. to 1 lite

^{*}This recipe makes 1 liter. If you need less, adjust recipe accordingly. Store at 2-7°C. Add 0.09% NaN₃ if diluted serum is not going to be used within one week.

4X FA Rinse Buffer (pH 9.0):

-	Na ₂ CO ₃	11.4 gm
-	NaHCO ₃	33.6 gm
-	NaCl	8.5 gm
-	DI/dH ₂ O	Q.S. to 1 lite

Final pH should be 9.0-9.5. This is a 4X concentrate and should be diluted 1/4 with DI/distilled water for use as a working buffer. Keep in a tightly stoppered container at room temperature. MOUNTING FLUID is made by mixing glycerol and FA rinse buffer, pH 9.0, in equal proportions.